

BABAC

TRACTION PRODUCTS

Tire Chains for Forestry, Industrial and Agricultural Applications.



Ring

BABAC® ring chains provide excellent traction for operating in mud or snow.

BSMR



- 9/16" 5/8" 3/4"
14mm 16mm 19mm
- Single Multi® Ring Pattern
 - 3 Links Of Tag Chain
 - Smooth Ride

BS5R



- 9/16" 5/8" 3/4"
14mm 16mm 19mm
- Standard Ring Pattern
 - 5 Links Of Tag Chain
 - Self Cleaning Design

BSR



- 9/16" 5/8" 3/4"
14mm 16mm 19mm
- Economy Ring Pattern
 - 7 Links Of Tag Chain
 - Self Cleaning Design

BDMR



- 5/8" 3/4"
16mm 19mm
- Dual Multi® Ring Pattern
 - 3 Links Of Tag Chain
 - For Wider Tires

9/16" (14 mm) ring chains feature 1" x 10" rings (25.40x254mm), lugs are 5/8" thick, 2 1/2" wide and 1 1/2" tall (16mm thick, 63.50mm wide, 38.10mm tall)
5/8" (16mm) ring chains feature 1 1/8" x 10" rings (28.58x254mm), lugs are 5/8" thick, 2 1/2" wide and 1 3/4" tall (16mm thick, 63.50mm wide, 44.45mm tall)
3/4" (19mm) ring chains feature 1 1/4" x 10" rings (31.75x254mm), lugs are 5/8" thick, 3" wide and 2" tall (16mm thick, 76.20mm wide, 50.80mm tall)

Mesh™

The BABAC® Mesh™ chains offer superior traction and tire protection featuring the BABAC® world renowned U Form® stud design. Mesh™ chains adhere to the tire due to its tight pattern, promoting greater friction and thus reducing chains walking on the tire. Available in single, double, and triple Mesh™ patterns.

BSM



- 9/16" 5/8" 3/4"
14mm 16mm 19mm
- Single Mesh™
 - 8 Studs Per Mesh™
 - For Narrow Tires

BDM



- 9/16" 5/8" 3/4"
14mm 16mm 19mm
- Double Mesh™
 - 8 Studs Per Mesh
 - For the more popular tire sizes.

BTM



- 5/8" 3/4"
16mm 19mm
- Triple Mesh™
 - 8 studs per Mesh™
 - For Wider Tires

Diamond®

Diamond® chains feature BABAC® world renowned U Form® stud design, with the Rough Cut option available in 9/16" (14mm) and 5/8" (16mm). BABAC® Diamond® chains produce constant traction on ice and rock while staying upright due to their unique design.

BSS



9/16" 5/8" 3/4"
14mm 16mm 19mm

- Single Diamond® Pattern
- 10 Studs Per Diamond
- For Narrow Tires

B15S



9/16" 5/8" 3/4"
14mm 16mm 19mm

- Diamond® And A Half Pattern
- 4 Studs Per Diamond
- Extra Coverage For Narrow Tires

BDS



9/16" 5/8" 3/4"
14mm 16mm 19mm

- Double Diamond® Pattern
- 10 Studs Per Diamond
- 4 Stud Pattern Available
- For the more popular tire sizes.

BTS



5/8" 3/4"
16mm 19mm

- Triple Diamond Pattern
- 10 Studs Per Diamond
- For Wider Tires

BFP



5/8" 3/4"
16mm 19mm

- Forestry Tire Protection
- 6 Studs Per Diamond
- For Wider Tires

Ultimate tire protection and unsurpassed traction



U-form® studs

U-Form® studs are welded on the flat/square side of the link to stay upright for better wear and superior traction.



rough cut studs

Whereas we use a formed wire with finished ends on our standard studs, the Rough Cut studs are not smooth. Steel, heat treat and performance are the same.

Euro Style™

BTME



Available in triple Diamond® and triple Mesh™ the new Euro Style™ offers traction and protection, featuring BABAC® U-Form® studs. Euro Style™ chains are recommended for harvesters and forwarders. Available in 9/16" (14mm) and 5/8" (16mm) tag options, they come standard with European plug coupling connectors and with the outside rails non-studded allowing for tighter clearances.

BTSE



Square Grip™

BSQ



Square Grip™ chains are available in 9/16" (14mm) with a 5/8" (16mm) U-Form® stud, or 5/8" (16mm) with a 3/4" (19mm) U-Form® stud. Square Grip™ chains have an open pattern for ease of self cleaning. Square Grip™ chains are suitable for industrial loaders and forestry equipment that require traction on snow, mud, ice and rock.

G200/G202



The G200 Super Jack and G202 Trac Jack™ facilitate installation and maintenance requirements, resulting in longer chain life from properly tightened chains. The G200 is a ratchet type jack, while the G202 is a screw type jack.

ForesTrac®

Off-Road Forestry Tractor Tire Chains

ASSTR



1/2" (12mm)

- ForesTrac® Studded
- For rock and ice

Single Diamond® Rough Cut stud chain provides aggressive traction for forestry tractors. Requires 4" of clearance.

ASR



1/2" (12mm)

- ForesTrac® Ring
- For mud and snow

ForesTrac® ring chains provide excellent traction with a self cleaning design. Requires 6" of clearance.

Your Local dealer:



Or call for the dealer nearest you.

BABAC

TRACTION PRODUCTS

Marketed Worldwide by Wallingford's Inc.

1010 Kennedy Memorial Drive

Oakland, Maine, USA 04963

US/Canada 800-323-3708

Phone (001)207-465-9575 Fax (001)207-465-9601

www.wallingfords.com • info@wallingfords.com

visit us online at www.babactirechains.com



FRANÇAIS ESPAÑOL DEUTSCH РУССКИЙ PORTUGUÊS SUOMALAINEN SVENSK

Copyright 2008